Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PREVALENCE OF DISEASE.

IN CERTAIN STATES AND CITIES.

SMALLPOX.

Miscellaneous State Reports.

Places.	Cases.	Deaths.
Alabama (Jan. 1-31):		
Counties—		
Bibb	8	.....
Calhoun	4	.....
Chilton	1	.....
Dallas	3	.....
Dekalb	2	.....
Escambia	4	.....
Greene	3	1
Hale	18	.....
Houston	7	.....
Jefferson	12	.....
Lamar	2	.....
Mobile	1	.....
Montgomery	11	.....
Pickens	19	1
Shelby	2	.....
St. Clair	10	.....
Talladega	1	.....
Tuscaloosa	49	.....
Walker	7	.....
Wilcox	2	.....
Total	166	2
Colorado (Feb. 1-28):		
Counties—		
Boulder	2	.....
Denver	20	.....
El Paso	1	.....
Huerfano	3	.....
Mesa	10	.....
Rio Blanco	1	.....
Total	37	.....
Connecticut (Feb.1-28):		
Counties—		
Hartford	6	.....
Windham	1	.....
Total	7	.....
Pennsylvania (Nov. 1-30):		
Counties—		
Allegheny	2	.....
Dauphin	1	.....
Lackawanna	2	.....
Pennsylvania—Continued.		
Counties—Continued.		
Venango	1	.....
Wayne	15	.....
Total	21	.....
Pennsylvania (Dec. 1-31):		
Counties—		
Blair	1	.....
Cambria	5	.....
Delaware	13	.....
Lacawana	5	.....
Venango	2	.....
Wayne	27	.....
Total	53	.....
South Dakota (Jan. 1-31):		
Counties—		
Aurora	6	.....
Brown	1	.....
Brule	4	.....
Campbell	1	.....
Codington	4	.....
Davison	2	.....
Deuel	1	.....
Faulk	24	.....
Hughes	1	.....
Kingsbury	1	.....
Lyman	3	.....
Marshall	17	.....
Minnehaha	2	.....
Pennington	3	.....
Turner	1	.....
Union	4	.....
Walworth	1	.....
Total	76	.....
Vermont (Dec. 1-31):		
Counties—		
Orange	8	.....
Rutland	5	.....
Washington	11	.....
Total	24	.....
Wyoming Dec. 1-31)[1]	.....	.....

[1] No case.

Maine—South Thomaston and Warren.

Acting Assistant Surgeon Adams of the Public Health Service reported March 4, 1913, from Rockland, Me., that 1 case of smallpox had been notified at South Thomaston, and 1 at Warren, Me.

New York—Niagara Falls.

Acting Assistant Surgeon Bingham of the Public Health Service reported by telegraph March 9, 1913, that 1 new case of smallpox had been notified in Niagara Falls during the week ended March 8, 1913.

City Reports for Week Ended Feb. 22, 1913.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Auburn, N. Y.	1		Los Angeles, Cal.	4	
Cambridge, Ohio	1		Manchester, N. H.	1	
Chicago, Ill.	5		Milwaukee, Wis.	14	
Columbus, Ohio	2		Moline, Ill.	1	
Danville, Ill.	1		Niagara Falls, N. Y.	8	
Detroit, Mich.	10		Oakland, Cal.	1	
Duluth, Minn.	8		Peoria, Ill.	5	
Kalamazoo, Mich.	5		Roanoke, Va.	8	
Kansas City, Kans.	1		St. Louis, Mo.	1	
Knoxville, Tenn.	18		Spokane, Wash.	3	
La Crosse, Wis.	3		Washington, D. C.	2	
Lexington, Ky.	3				

CEREBROSPINAL MENINGITIS.

Arizona.

The State board of health of Arizona reported by telegraph March 10, 1913, that 26 cases of cerebrospinal meningitis had been notified in Arizona since January 1, 13 of these having occurred in Prescott and vicinity.

California—Los Angeles.

Senior Surg. Brooks, of the Public Health Service, reported by telegraph March 8, 1913, that 2 cases of cerebrospinal meningitis, with 2 deaths, had been notified in Los Angeles during the week ended March 8, 1913, making a total of 27 cases and 12 deaths since January 1.

Cases and Deaths Reported by Cities for Week Ended Feb. 22, 1913.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Chicago, Ill.	3	2	New York, N. Y.	5	1
Cincinnati, Ohio	5	2	Oklahoma, Okla.	1	1
Cleveland, Ohio	2	1	Passaic, N. J.		1
Haverhill, Mass.	1	1	Pittsfield, N. J.		1
Los Angeles, Cal.	3	2	Prescott, Ariz.	2	
New Orleans, La.	2				

POLIOMYELITIS (INFANTILE PARALYSIS).

Cases and Deaths Reported by Cities for Week Ended Feb. 22, 1913.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Chicago, Ill	2		Manchester, N. H	1	1
Cleveland, Ohio	2	1	New Orleans, La	2	
Fall River, Mass	1		New York, N. Y	2	

ERYSIPELAS.

Cases and Deaths Reported by Cities for Week Ended Feb. 22, 1913.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Berkeley, Cal	1		New Bedford, Mass		1
Binghamton, N. Y	3		New Orleans, La		1
Boston, Mass		2	New York, N. Y		13
Braddock, Pa	1		Northampton, Mass		1
Bridgeport, Conn	1		Oklahoma, Okla	1	
Buffalo, N. Y	6	1	Passaic, N. J	1	
Chicago, Ill	19	4	Philadelphia, Pa	22	
Cincinnati, Ohio	8	1	Pittsburgh, Pa	6	3
Cleveland, Ohio	11	3	Providence, R. I		2
Dayton, Ohio		1	Reading, Pa	1	
Elmira, N. Y		1	Rutland, Vt	1	
Homestead, Pa	1		Saginaw, Mich	1	
Kalamazoo, Mich	2	1	St. Louis, Mo	18	
Los Angeles, Cal	2		San Francisco, Cal	7	1
McKeesport, Pa	1		South Bethlehem, Pa	2	
Milwaukee, Wis	5		Toledo, Ohio		1
Newark, N. J		3	York, Pa	1	

PLAGUE.

Rats Collected and Examined for Plague.

Places.	Week ended—	Found dead.	Total collected.	Examined.	Found infected.
California:					
Berkeley	Feb. 15, 1913		132	93	
Oakland	do	11	566	452	
San Francisco	do	21	1,563	1,254	
Washington:					
Seattle	do		786	746	

California—Squirrels Collected and Examined for Plague Infection.

During the week ended February 15, 1913, there were examined for plague infection 149 ground squirrels from San Joaquin County and 17 from San Benito County. No plague-infected squirrel was found.

PNEUMONIA.

Cases and Deaths Reported by Cities for Week Ended Feb. 22, 1913.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Altoona, Pa		2	Montclair, N. J		1
Auburn, N. Y	4	4	Nashville, Tenn		14
Aurora, Ill		2	Newark, N. J		8
Bayonne, N. J		4	New Bedford, Mass		5
Berkeley, Cal		1	Newburyport, Mass		4
Binghamton, N. Y	5	1	New Castle, Pa	1	
Boston, Mass		38	New Orleans, La		20
Braddock, Pa	4		Newport, R. I	1	1
Brockton, Mass		5	Newton, Mass		2
Bridgeport, Conn		5	New York, N. Y		214
Brookline, Mass		1	Niagara Falls, N. Y		6
Buffalo, N. Y		10	Norristown, Pa	2	1
Cambridge, Mass		2	North Adams, Mass		3
Cambridge, Ohio		2	Oakland, Cal		10
Chelsea, Mass		5	Oklahoma, Okla		1
Chicago, Ill	51	163	Passaic, N. J		6
Chicopee, Mass		3	Pawtucket, R. I		3
Cincinnati, Ohio		21	Peoria, Ill		1
Cleveland, Ohio	53	12	Philadelphia, Pa	49	94
Cumberland, Md		1	Pittsburgh, Pa	32	34
Dayton, Ohio		7	Pittsfield, Mass		3
Duluth, Minn	1	1	Providence, R. I		15
Elizabeth, N. J		3	Reading, Pa	6	6
Elmira, N. Y	2		Richmond, Va		9
Erie, Pa	1		Saginaw, Mich	2	1
Everett, Mass		1	Salem, Mass		2
Fall River, Mass		13	St. Joseph, Mo		2
Galesburg, Ill		2	San Diego, Cal	1	1
Grand Rapids, Mich	1	2	San Francisco, Cal	12	
Harrisburg, Pa	1	1	Saratoga Springs, N. Y	1	
Haverhill, Mass		9	Schenectady, N. Y	3	3
Homestead, Pa		3	South Bend, Ind		2
Jersey City, N. J		12	South Bethlehem, Pa	4	2
Kalamazoo, Mich	4	3	South Omaha, Nebr	3	
Knoxville, Tenn		2	Spokane, Wash		3
La Fayette, Ind		1	Springfield, Ill		5
Lancaster, Pa	2		Springfield, Mass		11
Lima, Ohio		3	Taunton, Mass		1
Los Angeles, Cal	2	10	Toledo, Ohio		2
Lowell, Mass		5	Washington, D. C		14
Lynn, Mass		1	Wheeling, W. Va		5
Malden, Mass		3	Wilkes-Barre, Pa		7
Manchester, N. H	2	2	Wilkinsburg, Pa	5	4
Marlboro, Mass		1	Wilmington, N. C	1	3
Melrose, Mass		2	Yonkers, N. Y		9
Moline, Ill		1	York, Pa	1	

TETANUS.

Cases and Deaths Reported by Cities for Week Ended February 22, 1913.

During the week ended February 22, 1913, tetanus was reported by cities as follows: Newark, N. J., 1 case with 1 death; New Orleans, La., 1 death; Philadelphia, Pa., 2 cases with 2 deaths; St. Louis, Mo., 2 cases with 1 death.

SCARLET FEVER, MEASLES, DIPHTHERIA, AND TUBERCULOSIS.

Los Angeles—Measles.

Senior Surg. Brooks, of the Public Health Service, reported by telegraph March 8, 1913, that 134 cases of measles had been notified in Los Angeles during the week ended March 8, making a total of 453 cases, with 4 deaths, since January 1.

St. Louis—Measles and Diphtheria.

Surg. Carrington, of the Public Health Service, reported March 3, 1913, that during the 11 months ended March 1 there had been notified in the city of St. Louis 4,281 cases of measles, with 37 deaths, and 2,268 cases of diphtheria, with 131 deaths, distributed by months, as follows:

Month.	Measles.		Diphtheria.	
	Cases.	Deaths.	Cases.	Deaths.
1912.				
April	224	1	104	6
May	157	0	99	6
June	48	0	73	6
July	38	1	63	5
August	12	2	109	9
September	11	1	107	11
October	45	1	223	19
November	240	4	305	20
December	375	10	457	22
1913.				
January	1,268	10	495	22
February	1,863	7	233	5
Total	4,281	37	2,268	131

Cases and Deaths Reported by Cities for Week Ended Feb. 22, 1913.

Cities.	Population, United States, census, 1910.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants:										
Boston, Mass	670,585	253	43	6	260	4	40	3	61	24
Chicago, Ill	2,185,283	.....	228	26	768	6	435	45	148	82
Cleveland, Ohio	560,663	164	51	5	195	3	25	.....	32	14
New York, N. Y	4,766,883	1,836	367	52	552	11	380	20	539	219
Philadelphia, Pa	1,549,008	611	60	9	804	6	118	4	72	68
Pittsburgh, Pa	533,905	200	23	4	424	7	33	1	40	10
St. Louis, Mo	687,029	236	57	7	467	6	30	2	32	20
From 300,000 to 500,000 inhabitants:										
Buffalo, N. Y	423,715	196	8	2	171	2	8	.....	20	15
Cincinnati, Ohio	364,463	144	14	1	157	1	8	.....	34	15
Detroit, Mich	465,766	.....	40	5	.....	.....	58	8	.....	.....
Los Angeles, Cal	319,198	122	7	.....	42	.....	13	.....	41	25
Milwaukee, Wis	373,857	115	17	3	27	.....	23	2	14	12
Newark, N. J	347,469	110	31	1	26	.....	16	.....	35	14
New Orleans, La	339,075	185	32	3	118	.....	1	.....	26	20
San Francisco, Cal	416,912	124	11	.....	14	.....	12	.....	23	10
Washington, D. C	331,069	146	1	.....	370	.....	12	1	20	18
From 200,000 to 300,000 inhabitants:										
Jersey City, N. J	267,779	89	2	.....	.....	.....	2	.....	.....	4
Providence, R. I	224,326	88	11	.....	7	.....	15	2	4	12
From 100,000 to 200,000 inhabitants:										
Bridgeport, Conn	102,054	36	7	.....	1	.....	9	1	4	3
Cambridge, Mass	104,839	24	3	.....	20	1	3	.....	5	7
Columbus, Ohio	181,548	69	4	1	11	.....	14	.....	8	9
Dayton, Ohio	116,577	42	5	.....	.....	.....	1	.....	.....	1
Fall River, Mass	119,295	53	4	1	10	.....	21	.....	4	5
Grand Rapids, Mich	112,571	49	2	.....	8	.....	5	.....	3	3
Lowell, Mass	106,294	42	6	.....	11	.....	7	.....	2	5
Nashville, Tenn	110,364	60	.....	.....	20	.....	2	.....	9	7
Oakland, Cal	150,174	60	7	2	.....	.....	1	.....	3	4
Richmond, Va	127,628	67	5	1	542	1	2	.....	11	5
Spokane, Wash	104,402	.....	.....	.....	2	.....	2	.....	1	2
Toledo, Ohio	168,497	49	4	1	38	.....	4	1	.....	5
Worcester, Mass	145,986	61	12	2	6	.....	14	.....	9	5

Cases and Deaths Reported by Cities for Week Ended Feb. 22, 1913—Contd.

Cities.	Population, United States census 1910.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 50,000 to 100,000 inhabitants:										
Altoona, Pa	52,127	17	3				4			
Bayonne, N. J	55,545	18	3	1	4		11		7	
Brockton, Mass	56,878	19	3	1	1		1			
Camden, N. J	94,538		6		101				5	
Duluth, Minn	78,466	20			10		4			2
Elizabeth, N. J	73,409	32	1		12		2		1	
Erie, Pa	66,525	26	8		26		1		4	
Harrisburg, Pa	64,186		7		7		1		2	1
Hartford, Conn	98,915	68	11	1	18		12		8	5
Johnstown, Pa	55,482	18	10		48	1				
Kansas City, Kans	82,331		3		67		1			
Lynn, Mass	89,336	22	1		42		10		3	4
Manchester, N. H	70,063	32	10		31		1		1	1
New Bedford, Mass	96,652	25	8		43		15		10	3
Oklahoma City, Okla	64,205	9	2						1	2
Passaic, N. J	54,773	18	2		5		3		5	3
Pawtucket, R. I	51,622	6		1						2
Peoria, Ill	66,950	23			34	1	5	1		
Reading, Pa	96,071	45	5	3	136		3			4
Saginaw, Mich	50,510	13	2		51		2		2	1
St. Joseph, Mo	77,403	22	2		16		3		3	2
Schenectady, N. Y	72,826	23	2	1	18		9	1	4	1
South Bend, Ind	53,684	24	2		2		6	1		1
Springfield, Ill	51,678	22	5				3			1
Springfield, Mass	88,926	36	4		35	1	11	2	3	2
Trenton, N. J	96,815	46	4	1	47		4	2	11	1
Wilkes-Barre, Pa	67,105	23	2		1		5		8	
Yonkers, N. Y	79,803	26	5		4		1		5	1
From 25,000 to 50,000 inhabitants:										
Auburn, N. Y	34,668	12			20		13	1		
Aurora, Ill	29,807	8					1			
Berkeley, Cal	40,434	8					1		1	
Binghamton, N. Y	48,443	20	3	1					5	3
Brookline, Mass	27,792	12	1		7		2			
Chelsea, Mass	32,452	16	1				2		3	
Chicopee, Mass	25,401	15								1
Danville, Ill	27,871	11	1		5		1			
East Orange, N. J	34,371		1		7		3			1
Elmira, N. Y	37,176	19	2		33		2			2
Everett, Mass	33,484	8	2		2				1	1
Fitchburg, Mass	37,826	9	2		69	2			1	
Haverhill, Mass	44,115	20			87		9		2	2
Kalamazoo, Mich	39,437	16	1				1		2	
Knoxville, Tenn	36,346	13			11					3
La Crosse, Wis	30,417	9	1		1					
Lancaster, Pa	47,227		4		7				1	
Lexington, Ky	35,099	8			1		3		3	4
Lima, Ohio	30,508	12	2		6		3			2
Malden, Mass	44,404	12	3		11		1		1	1
McKeesport, Pa	42,694	18	2		16		4			
Newcastle, Pa	36,280		3		40		1			
Newport, Ky	30,309	8	1				2	2	1	1
Newton, Mass	39,806	19	1		21		3		5	
Niagara Falls, N. Y	30,445	16			85		2			
Norristown, Pa	27,875	4	3							2
Orange, N. J	29,630	14	1		3		4		2	2
Pasadena, Cal	30,291	9					1		1	3
Pittsfield, Mass	32,121	19	3		4		6		1	1
Portsmouth, Va	33,190	7	3		2		1			
Racine, Wis	38,002	6	1				2			
Roanoke, Va	34,874	10	1		18					2
Salem, Mass	43,697	16	1	1						2
San Diego, Cal	39,578	6	2		1				5	5
South Omaha, Nebr	26,259	10								
Superior, Wis	40,384	11					1			
Taunton, Mass	34,259	13					5		4	
Waltham, Mass	27,834	10		1	1				1	2
West Hoboken, N. J	35,403		3		16		4		1	
Wheeling, W. Va	41,641	27	7		29		2		1	2
Wilmington, N. C	25,748	15	2				1			2
York, Pa	44,750		2		17		1		6	
Zanesville, Ohio	28,026	16	1				9			3

Cases and Deaths Reported by Cities for Week Ended Feb. 22, 1913—Contd.

Cities.	Population, United States census 1910.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Less than 25,000 inhabitants:										
Alameda, Cal	23,833	6								
Beaver Falls, Pa	12,191	1			4	1				
Biddeford, Me	17,079	4								1
Braddock, Pa	17,759		2		10		3			
Cambridge, Ohio	17,327	5	1				1			
Clinton, Mass	13,075	5	1		13	1				2
Columbus, Ga	20,554	1								
Columbus, Ind		3								1
Cumberland, Md	21,839	7	1		6				3	3
Dunkirk, N. Y		6			9					
Galesburg, Ill	22,089	8	1							
Harrison, N. J	14,489						2			
Homestead, Pa	18,713	5	2		19					
Kokomo, Ind	8,261	10	1	1	1		1		2	1
La Fayette, Ind	20,081	9								1
Marlboro, Mass		8								1
Massillon, Ohio	23,830	2								1
Medford, Mass	23,150	5			23		2		1	1
Melrose, Mass	15,715	2								
Moline, Ill	24,190	9								1
Montclair, N. J	21,450	5	1		1					
Morristown, N. J	12,507	6			1				1	1
Nanticoke, Pa	18,857	7	1		4		1			
Newburyport, Mass	19,240	6							1	
North Adams, Mass	22,019		1		4					1
Northampton, Mass	19,931	14			1		6		2	2
Ottumwa, Iowa	23,012	5	2				17			
Palmer, Mass		4								
Plainfield, N. J	23,550	4	1		1				1	
Rutland, Vt	13,546	1	1	1	57					
Saratoga Springs, N. Y		6			1				1	
South Bethlehem, Pa		10	5	1	4				1	
Springfield, Ohio			2				2			
Steelton, Pa	14,476	3								
Wilkinsburg, Pa	18,594	14			9		1	1		1